



# Standard Auto Lift & Equipment Inc

Please call **1-888-839-8899**

## USA Made Double Wide Storage Parking Lift SGT-9000 and SGT-9000XLT series.

Standard Auto Lift & Equipment Inc. is manufacturer of automotive equipment. You can buy direct from the source to save money. We can offer the best quality and lowest price.


The SGT series is perfect for doubling the space of your two car garage. The lifting capacity of SGT series is up to 9,000lb, 6,000lb down the center or 4,500lb on each side. The 8 drip trays between tracks will keep fluid dripping from vehicle. The pre-arched and re-enforced cross arm prevents sagging. Anchoring the SGT series to your floor is recommended. Standard 5" x 5" Post and 6" x 6" Sliding collar. The powerful 220v power unit and single point release make operation simple. It is great design for storage and collector.

We are offering FREE with the purchase of this lift the Jack Tray and 8 Drip Trays\*.

## Features:

- Produced in USA
- Made with North American Steel
- Custom color: Red, Blue, Black, Yellow, Orange
- Powder coat finish
- SPX power unit
- Max 9,000 lbs. Lifting Capacity
- 36" Aluminum ramps
- 8 Each Drip Trays (made in China)
- Single point lock release
- Multiple locking positions
- 3.5" diameter cylinder
- 5" x 5" Post and 6" x 6" Sliding collar





## Specifications:

MODEL	SGT-9000/17	SGT-9000/18	SGT-9000/20
TOTAL WIDTH (To outside base plates)	204"	216"	240"
WIDTH BETWEEN POSTS	16'	17'	19'
WIDTH BETWEEN BASE PLATES	178"	188"	212"
WIDTH BETWEEN TRACKS	38"	38"	38"
RAMP LENGTH	36"	36"	36"
TRACK LENGTH (Without ramp)	160"	160"	160"
EACH TRACK SET OUTSIDE WIDTH	75"	75"	75"
TRACK WIDTH	19"	19"	19"
BASE PLATE DIMENSIONS	14" X 14"	14" X 14"	14" X 14"
OVERALL LENGTH (Outside base plates)	174.5"	174.5"	174.5"
MAX CLEARANCE (For lower vehicle)	67" On top lock clearance	67" On top lock clearance	67" On top lock clearance
OVERALL LENGTH	92"	92"	92"
LENGTH BETWEEN POSTS	157"	157"	157"
LIFTING CAPACITY	9000 lbs.	9000 lbs.	9000 lbs.

POWER UNIT	220V, 2 HP, 30 amp	220V, 2 HP, 30 amp	220V, 2 HP, 30 amp
------------	--------------------	--------------------	--------------------



DARK RED 90 GLOSS

P009-RD02

RED 90 GLOSS

T009-RD01

SAFETY ORANGE 90 GLOSS

T009-OG01

YELLOW 90 GLOSS

T009-YL71



FS 17308 BLACK 90 GLOSS

T009-BK12

ANSI 61 GRAY 80 GLOSS

T008-GR736

RAL 7035 GRAY 90 GLOSS

T009-GR230

BLUE 90 GLOSS

T009-BL01

MODEL	SGT-9000XLT/17	SGT-9000XLT/18	SGT-9000XLT/20
TOTAL WIDTH (To outside base plates)	204"	216"	240"
WIDTH BETWEEN POSTS	16'	17'	19'
WIDTH BETWEEN BASE PLATES	178"	188"	212"
WIDTH BETWEEN TRACKS	38"	38"	38"
RAMP LENGTH	36"	36"	36"
TRACK LENGTH (Without ramp)	180"	180"	180"
EACH TRACK SET OUTSIDE WIDTH	75"	75"	75"
TRACK WIDTH	19"	19"	19"
BASE PLATE DIMENSIONS	14" X 14"	14" X 14"	14" X 14"
OVERALL LENGTH (Outside base plates)	194.5"	194.5"	194.5"
MAX CLEARANCE (For lower vehicle)	77" On top lock clearance	77" On top lock clearance	77" On top lock clearance
OVERALL HEIGHT	102"	102"	102"
LENGTH BETWEEN POSTS	177"	177"	177"
LIFTING CAPACITY	9000 lbs.	9000 lbs.	9000 lbs.
POWER UNIT	220V, 2 HP, 30 amp	220V, 2 HP, 30 amp	220V, 2 HP, 30 amp